THE plant JOURNAL
FOR CELL AND MOLECULAR BIOLOGY

VOLUME 4

Editors

Dianna Bowles
Michel Caboche
Liz Dennis
Dick Flavell
Atsushi Komamine
Chris Lamb
Jeff Schell
Chris Somerville
Lothar Willmitzer

Published jointly by:
BIOS Scientific Publishers Ltd and Blackwell Scientific Publications Ltd,
in association with the Society for Experimental Biology

© 1993 BIOS Scientific Publishers Ltd, Blackwell Scientific Publications Ltd, and the Society for Experimental Biology. Authorization to photocopy for internal or personal use of the internal or personal use of specific clients is granted by BIOS Scientific Publishers Ltd, Blackwell Scientific Publications Ltd, and the Society for Experimental Biology for libraries and other users registered with the Copyright Clearance Centre (CCC) Transactional Reporting Service, provided that the base fee of $10.00 per copy is paid directly to the CCC, 27 Congress Street, Salem, MA 01970, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Chief Editor. 0960—7412/93 $10.00.

Published jointly by BIOS Scientific Publishers Ltd and Blackwell Scientific Publications Ltd, in association with the Society for Experimental Biology

ISSN 0960–7412

Typeset by Oxprint, Oxford, UK
Printed in Great Britain by Henry Ling Ltd at the Dorset Press, Dorchester, UK

Contents

Number 1 July 1993

1 **Effect of *lateral suppressor* on petal initiation in tomato.** *E.J. Szymkowiak and I.M. Sussex*

9 **A 42 bp promoter fragment of the gene for subunit III of photosystem I (*psaF*) is crucial for its activity.** *K. Flieger, A. Tyagi, S. Sopory, A. Cseplö, R.G. Herrmann and R. Oelmüller*

19 **Photoresponses of transgenic *Arabidopsis* seedlings expressing introduced phytochrome B-encoding cDNAs: evidence that phytochrome A and phytochrome B have distinct photoregulatory functions.** *A.C. McCormac, D. Wagner, M.T. Boylan, P.H. Quail, H. Smith and G.C. Whitelam*

29 **Analysis of a desiccation and ABA-responsive promoter isolated from the resurrection plant *Craterostigma plantagineum*.** *D. Michel, F. Salamini, D. Bartels, P. Dale, M. Baga and A. Szalay*

41 **Patch-clamp analysis establishes a role for an auxin binding protein in the auxin stimulation of plasma membrane current in *Zea mays* protoplasts.** *A. Rück, K. Palme, M.A. Venis, R.M. Napier and H.H. Felle*

47 **Isolation and characterization of a cDNA clone from *Catharanthus roseus* encoding NADPH: cytochrome P-450 reductase, an enzyme essential for reactions catalysed by cytochrome P-450 mono-oxygenases in plants.** *A.H. Meijer, M.I. Lopes Cardoso, J.T. Voskuilen, A. de Waal, R. Verpoorte and J.H.C. Hoge*

61 ***cdc2MsB*, a cognate *cdc2* gene from alfalfa, complements the G1/S but not the G2/M transition of budding yeast *cdc28* mutants.** *H. Hirt, A. Páy, L. Bögre, I. Meskiene and E. Heberle-Bors*

71 **Specificity of a promoter from the rice tungro bacilliform virus for expression in phloem tissues.** *M. Bhattacharyya-Pakrasi, J. Peng, J.S. Elmer, G. Laco, P. Shen, M.B. Kaniewska, H. Kononowicz, F. Wen, T.K. Hodges and R.N. Beachy*

81 **A protein phosphatase 1 from *Arabidopsis thaliana* restores temperature sensitivity of a *Schizosaccharomyces pombe* $cdc25^{ts}/wee1^{-}$ double mutant.** *P.C.G. Ferreira, A.S. Hemerly, M. Van Montagu and D. Inzé*

89 **Differences in DNA-methylation are associated with a paramutation phenomenon in transgenic petunia.** *P. Meyer, I. Heidmann and I. Neidenhof*

101 **Petal and stamen formation in petunia is regulated by the homeotic gene *fbp1*.** *G.C. Angenent, J. Franken, M. Busscher, L. Colombo and A.J. van Tunen*

113 **Biosynthesis of cutin monomers: involvement of a lipoxygenase/peroxygenase pathway.** *E. Blée and F. Schuber*

125 **BPF-1, a pathogen-induced DNA-binding protein involved in the plant defense response.** *O. da Costa e Silva, L. Klein, E. Schmelzer, G.F. Trezzini and K. Hahlbrock*

137 **HAT3.1, a novel *Arabidopsis* homeodomain protein containing a conserved cysteine-rich region.** *U. Schindler, H. Beckmann and A.R. Cashmore*

151 **Active *cdc2* genes and cell cycle phase-specific cdc2-related kinase complexes in hormone-stimulated alfalfa cells.** *Z. Magyar, L. Bakó, L. Bögre, D. Dedeoğlu, T. Kapros and D. Dudits*

163 **The self-incompatibility response in *Papaver rhoeas* is mediated by cytosolic free calcium.** *V.E. Franklin-Tong, J.P. Ride, N.D. Read, A.J. Trewavas and F.C.H. Franklin*

179 **Correlation between arrested secondary plasmodesmal development and onset of accelerated leaf senescence in yeast acid invertase transgenic tobacco plants.** *B. Ding, J.S. Haudenshield, L. Willmitzer and W.J. Lucas*

191 **Soluble isoforms of starch synthase and starch-branching enzyme also occur within starch granules in developing pea embryos.** *K. Denyer, C. Sidebottom, C.M. Hylton and A.M. Smith*

199 **Cyclitol production in transgenic tobacco.** *D.M. Vernon, M.C. Tarczynski, R.G. Jensen and H.J. Bohnert*

207 **Oligogalacturonides inhibit the formation of roots on tobacco explants.** *D. Bellincampi, G. Salvi, G. De Lorenzo, F. Cervone, V. Marfà, S. Eberhard, A. Darvill and P. Albersheim*

Number 2 August 1993

215 MINI-REVIEW
Proline biosynthesis and osmoregulation in plants. *A.J. Delauney and D.P.S. Verma*

225 **A basic-type PR-1 promoter directs ethylene responsiveness, vascular and abscission zone-specific expression.** *Y. Eyal, Y. Meller, S. Lev-Yadun and R. Fluhr*

235 **Combinatorial interactions between positive and negative *cis*-acting elements control spatial patterns of *4CL-1* expression in transgenic tobacco.** *K.D. Hauffe, S.P. Lee, R. Subramaniam and C.J. Douglas*

255 **Identification of 3- and 4-phosphorylated phosphoinositides and inositol phosphates in stomatal guard cells.** *P.N. Parmar and C.A. Brearley*

265 **Growth-related gene expression in *Nicotiana tabacum* mesophyll protoplasts.** *I. Marty, C. Brugidou, Y. Chartier and Y. Meyer*

279 **A plant gene with homology to D-*myo*-inositol-3-phosphate synthase is rapidly and spatially up-regulated during an abscisic-acid-induced morphogenic response in *Spirodela polyrrhiza*.** *C.C. Smart and A.J. Fleming*

295 **Cytology of infection of 35S-bean chitinase transgenic canola plants by *Rhizoctonia solani*: cytochemical aspects of chitin breakdown *in vivo*.** *N. Benhamou, K. Broglie, I. Chet and R. Broglie*

307 **Specific perception of subnanomolar concentrations of chitin fragments by tomato cells: induction of extracellular alkalinization, changes in protein phosphorylation, and establishment of a refractory state.** *G. Felix, M. Regenass and T. Boller*

317 **A 330 bp region of the spinach nitrite reductase gene promoter directs nitrate-inducible tissue-specific expression in transgenic tobacco.** *R. Rastogi, E. Back, A. Schneiderbauer, C.G. Bowsher, B. Moffatt and S.J. Rothstein*

327 ***Arabidopsis* mutants compromised for the control of cellular damage during pathogenesis and aging.** *J.T. Greenberg and F.M. Ausubel*

343 **The nitrogen response of a barley C-hordein promoter is controlled by positive and negative regulation of the GCN4 and endosperm box.** ***M. Müller and S. Knudsen***

357 **5′ distal and proximal *cis*-acting regulator elements are required for developmental control of a rice seed storage protein *glutelin* gene.** *Z. Zheng, Y. Kawagoe, S. Xiao, Z. Li, T. Okita, T.L. Hau, A. Lin and N. Murai*

367 **Expression of an *Arabidopsis* sucrose synthase gene indicates a role in metabolization of sucrose both during phloem loading and in sink organs.** *T. Martin, W.B. Frommer, M. Salanoubat and L. Willmitzer*

379 **Floral development and expression of floral homeotic genes are influenced by cytokinins.** *J.J. Estruch, A. Granell, G. Hansen, E. Prinsen, P. Redig, H. Van Onckelen, Z. Schwarz-Sommer, H. Sommer and A. Spena*

385 **Nucleotide sequences recognized by the agamous MADS domain of *Arabidopsis thaliana in vitro*.** *H. Shiraishi, K. Okada and Y. Shimura*

399 SHORT COMMUNICATION
Phytochrome regulates GTP-binding protein activity in the envelope of pea nuclei. *G.B. Clark, A.R. Memon, C.-G. Tong, G.A. Thompson, Jr, and S.J. Roux*

403 TECHNICAL ADVANCE
A procedure for mapping *Arabidopsis* mutations using co-dominant ecotype-specific PCR-based markers. *A. Konieczny and F.M. Ausubel*

Number 3 September 1993

411 ***Myb* genes from *Hordeum vulgare*: tissue-specific expression of chimeric *Myb* promoter/*Gus* genes in transgenic tobacco.** *M. Wissenbach, B. Überlacker, F. Vogt, D. Becker, F. Salamini and W. Rohde*

423 **Molecular analysis of three maize 22 kDa auxin-binding protein genes – transient promoter expression and regulatory regions.** *E. Schwob, S.-Y. Choi, C. Simmons, F. Migliaccio, L. Ilag, T. Hesse, K. Palme and D. Söll*

433 **Does the ocs-element occur as a functional component of the promoters of plant genes.** *J.G. Ellis, J.G. Tokuhisa, D.J. Llewellyn, D. Bouchez, K. Singh, E.S. Dennis and W.J. Peacock*

445 **Constitutive and cell-division-inducible protein–DNA interactions in two maize histone gene promoters.** *P. Brignon and N. Chaubet*

459 **Methyl jasmonate represses translation initiation of a specific set of mRNAs in barley.** *S. Reinbothe, C. Reinbothe and B. Parthier*

469 **The *Arabidopsis Athb-2* and *-4* genes are strongly induced by far-red-rich light.** *M. Carabelli, G. Sessa, S. Baima, G. Morelli and I. Ruberti*

481 **Pathogen, salicylic acid and developmental dependent expression of a β-1,3-glucanase/GUS gene fusion in transgenic tobacco plants.** *J. Hennig, R.E. Dewey, J.R. Cutt and D.F. Klessig*

495 **Tissue-specific and wound-inducible pattern of expression of the mannopine synthase promoter is determined by the interaction between positive and negative *cis*-regulatory elements.** *A. Guevara-Garciá, G. Mosqueda-Cano, G. Argüello-Astorga, J. Simpson and L. Herrera-Estrella*

507 **Light- and sucrose-dependent gene expression in photomixotrophic cell suspension cultures and protoplasts of rape (*Brassica napus* L.).** *K. Harter, C. Talke-Messerer, W. Barz and E. Schäfer*

517 **Activation of a tobacco glycine-rich protein gene by a fungal glucan preparation.** *K.P. Brady, A.G. Darvill and P. Albersheim*

525 **Interaction between the tobacco DNA-binding activity CBF and the *cyt*-1 promoter element of the *Agrobacterium tumefaciens* T-DNA gene T-*CYT* correlates with *cyt*-1 directed gene expression in multiple tobacco tissue types.** *S.T.C. Neuteboom, A. Stoffels, E. Hulleman, J. Memelink, R.A. Schilperoort and J.H.C. Hoge*

535 **3′-end processing of the maize 27 kDa zein mRNA.** *L. Wu, T. Ueda and J. Messing*

545 **Molecular characterization of the gene for carrot cell wall β-fructosidase.** *K. Ramloch-Lorenz, S. Knudsen and A. Sturm*

555 **Abortion of infection during the *Rhizobium meliloti*–alfalfa symbiotic interaction is accompanied by a hypersensitive reaction.** *J. Vasse, F. de Billy and G. Truchet*

567 **Plasmodesmata between sieve element and companion cell of extrafascicular stem phloem of *Cucurbita maxima* permit passage of 3 kDa fluorescent probes.** *R. Kempers, D.A.M. Prior, A.J.E. Van Bel and K.J. Oparka*

577 SHORT COMMUNICATION
Site-directed mutagenesis of the organ-specific element in the soybean leghemoglobin *lbc*3 gene promoter. *K.B. Ramlov, N.B. Laursen, J. Stougaard and K.A. Marcker*

581 SHORT COMMUNICATION
Phenotypic effects of overexpression of *Agrobacterium rhizogenes* T-DNA ORF13 in transgenic tobacco plants are mediated by diffusable factor(s). *G. Hansen, D. Vaubert, J.N. Héron, D. Clérot, J. Tempe and J. Brevet*

587 TECHNICAL ADVANCE
Influence of bacterial strain genotype on transient expression of plasmid DNA in plant protoplasts. *J.T. Torres, A. Block, K. Hahlbrock and I.E. Somssich*

Number 4 October 1993

593 **Interconversion of the salicylic acid signal and its glucoside in tobacco.** *J. Hennig, J. Malamy, G. Grynkiewicz, J. Indulski and D.F. Klessig*

601 **A sink-specific H^+/monosaccharide co-transporter from *Nicotiana tabacum*: cloning and heterologous expression in baker's yeast.** *N. Sauer and R. Stadler*

611 **Constitutive, light-responsive and circadian clock-responsive factors compete for the different *I* box elements in plant light-regulated promoters.** *U. Borello, E. Ceccarelli and G. Giuliano*

621 **RNA editing in maize chloroplasts is a processing step independent of splicing and cleavage to monocistronic mRNAs.** *R. Freyer, B. Hoch, K. Neckermann, R.M. Maier and H. Kössel*

631 **The profilin multigene family of maize: differential expression of three isoforms.** *C.J. Staiger, K.C. Goodbody, P.J. Hussey, R. Valenta, B.K. Drøbak and C.W. Lloyd*

643 **Inheritance and genetic mapping of fruit sucrose accumulation in *Lycopersicon chmielewskii*.** *R.T. Chetelat, E. Klann, J.W. DeVerna, S. Yelle and A.B. Bennett*

651 **Alteration of plant growth and development by *Rhizobium nodA* and *nodB* genes involved in the synthesis of oligosaccharide signal molecules.** *J. Schmidt, H. Röhrig, M. John, U. Wieneke, G. Stacy, C. Koncz and J. Schell*

659 **Instability of the L^6 gene for rust resistance in flax is correlated with the presence of a linked *Ac* element.** *G. Lawrence, J. Finnegan and J. Ellis*

671 **A mutation in the *Arabidopsis DET*3 gene uncouples photoregulated leaf development from gene expression and chloroplast biogenesis.** *H.L. Cabrera y Poch, C.A. Peto and J. Chory*

683 **Limited proteolysis of (1,3)-β-glucan (callose) synthase from *Beta vulgaris* L: topology of protease-sensitive sites and polypeptide identification using Pronase E.** *A. Wu and B.P. Wasserman*

697 SHORT COMMUNICATION
Molecular characterization of two cDNAs from *Sinapis alba* L. expressed specifically at an early stage of tapetum development. *D. Staiger and K. Apel*

705 SHORT COMMUNICATION
A plant gene for photolyase: an enzyme catalyzing the repair of UV-light-induced DNA damage. *A. Batschauer*

711 SHORT COMMUNICATION
Isolation and characterization of two related *Arabidopsis* ocs-element bZIP binding proteins. *B. Zhang, R.C. Foley and K.B. Singh*

717 SHORT COMMUNICATION
DIP: a member of the MIP family of membrane proteins that is expressed in mature seeds and dark-grown seedlings of *Antirrhinum majus*. *F.A. Culianez-Macia and Cathie Martin*

727 SHORT COMMUNICATION
Lipo-oligosaccharides of *Rhizobium* induce infection-related early nodulin gene expression in pea root hairs. *B. Horvath, R. Heidstra, M. Lados, M. Moerman, H.P. Spaink, J.C. Promé, A. van Kammen and T. Bisseling*

735 TECHNICAL ADVANCE
Transient gene expression in vegetative shoot apical meristems of wheat after ballistic microtargeting. *R. Bilang, S. Zhang, N. Leduc, V.A. Iglesias, A. Gisel, J. Simmonds, I. Potrykus and C. Sautter*

745 TECHNICAL ADVANCE
Recombinant inbred lines for mapping RFLP and phenotypic markers in *Arabidopsis thaliana*. *C. Lister and C. Dean*

Number 5 November 1993

751 MINI REVIEW
The role of laccase in lignification. *D.M. O'Malley, R. Whetten, W. Bao, C.-L. Chen and R.R. Sederoff*

759 **Tobacco plants transformed with the *O*-acetylserine (thiol) lyase gene of wheat are resistant to toxic levels of hydrogen sulphide gas.** *S. Youssefian, M. Nakamura and H. Sano*

771 **Molecular cloning and expression patterns of three alleles of the *Deficiens*-homologous gene *St-Deficiens* from *Solanum tuberosum*.** *F. Garcia-Maroto, F. Salamini and W. Rohde*

781 **The ubiquitous presence of exopolygalacturonase in maize suggests a fundamental cellular function for this enzyme.** *M. Dubald, A. Barakate, P. Mandaron and R. Mache*

793 **Vesicle transport and processing of the precursor to 2S albumin in pumpkin.** *I. Hara-Hishimura, Y. Takeuchi, K. Inoue and M. Nishimura*

801 **Flowering in darkness in *Arabidopsis thaliana*.** *T. Araki and Y. Komeda*

813 **Identification of a disease resistance locus in *Arabidopsis* that is functionally homologous to the *RPG1* locus of soybean.** *R.W. Innes, S.R. Bisgrove, N.M. Smith, A.F. Bent, B.J. Staskawicz and Y.-C. Liu*

821 **Phenotypic characterization and molecular mapping of the *Arabidopsis thaliana* locus *RPP5*, determining disease resistance to *Peronospora parasitica*.** *J.E. Parker, V. Szabò, B.J. Staskawicz, C. Lister, C. Dean, M.J. Daniels and J.D.G. Jones*

833 **Functional expression of the *Erwinia uredovora* carotenoid biosynthesis gene *crtI* in transgenic plants showing an increase of β-carotene biosynthesis activity and resistance to the bleaching herbicide norflurazon.** *N. Misawa, S. Yamano, H. Linden, M.R. de Felipe, M. Lucas, H. Ikenaga and G. Sandmann*

841 **A role for γ3 hordein in the transport and targeting of prolamin polypeptides to the vacuole of developing barley endosperm.** *K.B. Rechinger, D.J. Simpson, I. Svendsen and V. Cameron-Mills*

855 **The carrot secreted glycoprotein gene *EP1* is expressed in the epidermis and has sequence homology to *Brassica* S-locus glycoproteins.** *F.A. van Engelen, M.V. Hartog, T.L. Thomas, B. Taylor, A. Sturm, A. van Kammen and S.C. de Vries*

863 **Differential gene expression in nematode-induced feeding structures of transgenic plants harbouring promoter–*gus*A fusion constructs.** *O.J.M. Goddijn, K. Lindsey, F.M. van der Lee, J.C. Klap and P.C. Sijmons*

875 SHORT COMMUNICATION
Four members of the maize β-tubulin gene family are expressed in the male gametophyte. *H.J. Rogers, A.J. Greenland and P.J. Hussey*

883 TECHNICAL ADVANCE
Detection of antisense transcripts in transgenic plants by RT–PCR. *J.W.S. Brown, G.G. Simpson, G. Clark, J. Lyon, A. Kumar and C. Simpson*

887 TECHNICAL ADVANCE
Hydrogen peroxide and lignification. *P.D. Olsen and J.E. Varner*

893 TECHNICAL ADVANCE
An improved method of plant megabase DNA isolation in agarose microbeads suitable for physical mapping and YAC cloning. *R.A. Wing, V.K. Rastogi, H.-B. Zhang, A.H. Paterson and S.D. Tanksley*

899 TECHNICAL ADVANCE
PCR amplification of microdissected wheat chromosome arms in a simple 'single tube' reaction. *D. Albani, M.-J. Côté, K.C. Armstrong, Q. Chen, A. Segal and L.S. Robert*

Number 6 December 1993

905 **Editorial**

907 ***amp1* – a mutant with high cytokinin levels and altered embryonic pattern, faster vegetative growth, constitutive photomorphogenesis and precocious flowering.** *A.M. Chaudhury, S. Letham, S. Craig and E.S. Dennis*

917 **Cell fate in the inflorescence meristem and floral buttress of *Arabidopsis thaliana*.** *I.J. Furner and J.E. Pumfrey*

933 **The promoter of the *Arabidopsis thaliana* plastocyanin gene contains a far upstream enhancer-like element involved in chloroplast-dependent expression.** *O. Vorst, P. Kock, A. Lever, B. Weterings, P. Weisbeek and S. Smeekens*

947 **Tissue-specific expression of sunflower heat shock proteins in response to water stress.** *C. Almoguera, M.A. Coca and J. Jordano*

959 **A dysfunctional movement protein of tobacco mosaic virus that partially modifies the plasmodesmata and limits virus spread in transgenic plants.** *M. Lapidot, R. Gafny, B. Ding, S. Wolf, W.J. Lucas and R.N. Beachy*

971 **Molecular characterization and expression of alfalfa isoliquiritigenin 2′-*O*-methyltransferase, an enzyme specifically involved in the biosynthesis of an inducer of *Rhizobium meliloti* nodulation genes.** *C.A. Maxwell, M.J. Harrison and R.A. Dixon*

983 **Developmental and pathogen-induced expression of three barley genes encoding lipid transfer proteins.** *A. Molina and F. García-Olmedo*

993 **Differential expression of two related amino acid transporters with differing substrate specificity in *Arabidopsis thaliana*.** *M. Kwart, B. Hirner, S. Hummel and W.B. Frommer*

1003 **Cloning and expression of flavonol synthase from *Petunia hybrida*.** *T.A. Holton, F. Brugliera and Y. Tanaka*

1011 **Structure and regulation of tobacco extensin.** *J. Memelink, K.M.M. Swords, R.J. de Kam, R.A. Schilperoort, J.H.C. Hoge and L.A. Staehelin*

1023 **The anther-specific protein encoded by the *Brassica napus* and *Arabidopsis thaliana* A6 gene displays similarity to β-1,3-glucanases.** *D.L. Hird, D. Worrall, R. Hodge, S. Smartt, W. Paul and R. Scott*

1035 **Identification of photo-inactive phytochrome A in etiolated seedlings and photo-active phytochrome B in green leaves of the *aurea* mutant of tomato.** *R. Sharma, E. López-Juez, A. Nagatani and M. Furuya*

1043 SHORT COMMUNICATION
Analysis of a maize α-tubulin gene promoter by transient expression and in transgenic tobacco plants. *J. Rigau, M. Capellades, L. Montoliu, M.A. Torres, C. Romera, J.A. Martínez-Izquierdo, D. Tagu and P. Puigdomènech*

1051 TECHNICAL ADVANCE
An inventory of 1152 expressed sequence tags obtained by partial sequencing of cDNAs from *Arabidopsis thaliana*. *H. Höfte, T. Desprez, J. Amselem, H. Chiapello, M. Caboche, A. Moisan, M.-F. Jourjon, J.-L. Charpenteau, P. Berthomieu, D. Guerrier, J. Giraudat, F. Quigley, F. Thomas, D.-Y. Yu, R. Mache, M. Raynal, R. Cooke, F. Grellet, M. Delseny, Y. Parmentier, G. de Marcillac, C. Gigot, J. Fleck, G. Philipps, M. Axelos, C. Bardet, D. Tremousaygue and B. Lescure*

1063 **Author index**

1069 **Subject index**